

भारतीय सूचना प्रौद्योगिकी संस्थान गुवाहाटी INDIAN INSTITUTE OF INFORMATION TECHNOLOGY GUWAHATI

आमबारी,गोपीनाथ बोरदोलोई (जी.एन.बी.)मार्ग,गुवाहाटी-781001, भारत Ambari, Gopinath Bordoloi (G.N.B.) Road, Guwahati-781001, India

NIQ No:- IIITG/S&P/NIQ/65/2017/3449

Date: 19.06.2017

Notice Inviting Quotation (NIQ) for supply of various Network Equipment & Accessories Introduction

Quotations are invited in Two Bid System for supply of various Network Equipment & Accessories as per details mentioned in the **ANNEXURE-I**, attached herewith. The quotation is due on or before **07-07-2017** by **1700** Hrs.

Please note:

- i) Tender document is divided into three parts i.e. (1) Instruction to Bidders, (2) Terms & Conditions, (3) Annexure I to IV.
- **ii)** There is no Tender fee and Tender document is to be downloaded from our official website i.e. www.iiitg.ac.in
- **iii)** Duly filled, signed and sealed quotation along with the related documents as directed in the instruction, Annexure-II and Terms & Conditions is to be submitted.
- **iv)** The bid documents are not transferable and the seal and signature of the authorized official of firms must appear on all the papers and envelopes submitted.
- v) Corrigendum/ Addendum in regards to terms and condition and technical specification, if any, will be published/ intimated in the IIITG website only at www.iiitg.ac.in.

Kindly read both the Instructions and Terms & Conditions properly and see that instructions and terms are fully understood and complied. No correspondence shall be entertained in case your quotation is rejected on ground of not complying with our instructions, terms & conditions.

INSTRUCTION TO BIDDERS

- A) Important date, time and place:
 - (a) Last date & time of submission: 07-07-2017, 1700 HRS
 - (b) Date & time of opening of Technical Bid: -07-07-2017, 1700 HRS
 - (c) Place of opening quotations: Conference Room, IIIT Guwahati
 - (d) Late and delayed tender: Late and delayed tender will not be accepted.
 - **(e) Unscheduled Holiday:** In case any unscheduled holiday occurs on the prescribed closing/opening date the next working day shall be the prescribed date of closing/opening.
- **B)** The address of the firm submitting the quotation and the Officer to whom the quotation is addressed must appear distinctly on sealed covers. Further, on sealed cover, the following are to be written:

QUOTATION FOR SUPPLY OF VARIOUS NETWOR	K EQUIPMENT & ACCESSORIES
NIQ Ref. No.	
LAST DATE OF SUBMISSION:	07-07-2017(1700 HRS)
То,	
	Director
	IIIT Guwahati
	Assam Textile Institute Campus
	Ambari, GNB Road
	Guwahati 781 001, Assam,
India.	
From: M/s	
Phone No. :	
Email ID :	

01. Quotations will have to be submitted in TWO PARTS i.e. (a) Technical Bid (for all the quoted item) and (b) Price Bid (Separately for each and every item quoted), in two separate properly sealed envelopes and both these covers will have to be again put in to a single sealed cover.

02. In the part relating to <u>Technical Bid</u>, the vendor must provide the followings:

- (a) Details of the technical features of the offered equipment vis-à-vis NIQ specification;(b)
- (b) Up-to-date Authorized Dealership Certificate on the offered products in case of dealer/s;
- (c) List of reputed organizations/Institutions, where similar orders have been executed, if any (copies of the purchase/ work orders will have to be enclosed);
- (d) Up-to-date Sales Tax clearance certificate (for vendors outside the State of Assam)/ VAT Registration Certificate indicating also the TIN number (for vendors from within the State of Assam) of the firm will have to accompany the quotation;
- (e) Details of nature and maximum period of **warranty** offered by the vendor.
- (f) After Sales Service: The name & address of the nearest available authorized service centre to IIIT Guwahati, must be stated in the quotation.
- (g) List of quoted items as per Annexure-II and duly filled Compliance Certificate as per Annexure-III

03. In the part relating to Price Bid, the vendor must provide the followings:

The Quotes must be in INR (`) as per format given in ANNEXURE IV.

- A) Submission of Compliance Certificate: Duly filled and signed Compliance Certificate (as per format at ANNEXURE -III) must be enclosed.
- B) Bid not transferable: The bid documents are not transferable and the seal and signature of the authorized official of the firm's must appear on all the papers and envelopes submitted.

TERMS & CONDITIONS

01. Rates: Rates quoted must be in INR (`) and should be on FOR IIIT Guwahati, on DOOR DELIVERY basis, :-

Note: Vague terms like "packing, forwarding, transportation etc. extra" without mentioning the specific amount will not be accepted. Such offers shall be treated as incomplete and rejected. Bidders shall indicate their rates in clear/visible figures as well as in words and shall not alter/overwrite/make cutting in the quotation. In case of a mismatch, the rates written in words will prevail.

- 02. **Validity of Quotation:** Quoted rates must be valid for **60 days** from the last date of submission of quotation.
- 03. **Warranty:** The quoted equipment and components must have warranty for **one year**.
- 04. **Literature a must:** All the quotations must be supported by the printed technical leaflet/literature and the specifications mentioned in the quotation must be reflected/supported by such printed technical leaflet/literature. The model and specifications quoted should **invariably be highlighted** in the leaflet/literature for easy reference.
- 05. **After Sales Service:** In case of imported goods, vendors should clearly state the available nearest after sales service centre and detail address in India, preferably in Guwahati, without which their offers shall be liable for rejection.
- 06. **Dealership Certificate:** Dealers or Agents quoting on behalf of Manufacturer must enclose valid dealership certificate.
- 07. **Quality Certificates:** Valid certificate to prove that the products are genuine and of good standard.
- 08. **Earnest Money:** There will be no Earnest Money.
- 09. **Genuine Pricing:** Vendor is to ensure that quoted price is not more than the price offered to any other customer in India to whom this particular item has been sold, particularly to IIIT/Institutes and other Government Organization.
- 10. **Conditional tenders not acceptable:** All the terms and conditions mentioned herein must be strictly adhered to by all the vendors. Conditional tenders shall not be accepted on any ground and shall be rejected straightway. Printed conditions mentioned in the tender bids submitted by vendors will not be binding on IIITG.

11. **Entry Tax:** Assam Govt. Entry Tax – usually @4%, wherever applicable, **will be added** while evaluating cost status of the concerned equipment to be supplied by vendors from outside the State of Assam.

12. **VAT/CST**:

- (a) Up-to-date Sales Tax clearance certificate, CST/VAT Registration Certificate indicating also the TIN number of the firm must be clearly mentioned in the quotation. (b) Concessional Form C & D is not applicable to us.
- (c) VAT Deduction at source: In case of supplier within Assam, VAT deduction at source, as per Order/ notification of the Govt. of Assam will be applicable.
- 13. Excise Duty and Customs Duty Certificate: Excise Duty and Customs Duty Exemption Certificate are not applicable.

14. **Delivery**:

- **a) Time Limit:** Maximum within 45 (forty five) days from the date of issue of purchase order.
- **b) Safe Delivery:** All aspects of safe delivery shall be the exclusive responsibility of the vendor. At the destination site, the package will be opened only in the presence of IIIT user/representative and vendor's representative. The intact condition of the package and the seal/indicators for not being tampered with shall form the basis for certifying the receipt in good condition.
- **c) Insurance:** The supplier is to establish 'All Risk Transit Insurance' coverage till door delivery at IIIT Guwahati.
- d) Part Delivery: Part delivery is not allowed.
- **e) Delay in delivery:** In case of delayed delivery, the Institute reserves the right to cancel the order and to not accept delivery in part or full.
- 16. **Payment**: 100% Payment within 30 days from the date of delivery, successful installation and commissioning/ acceptance of ordered goods at IIIT Guwahati, generally through A/c payee cheque.
- 17. **Late and delayed tender**: Late and delayed tender will not be considered. In case any unscheduled holiday occurs on the prescribed closing/opening date the next working day shall be the prescribed date of closing/opening.
- 18. **Tender Evaluation Method:** The technical bid envelopes will be opened right after the time and last date of tender submission. These bids will be examined for compliance with the requirements of the tender. Bids that are substantially responsive to the tender will be shortlisted and the price bids of only the shortlisted bidders will be opened at a date and time to be notified later. The bidder with the lowest price among the opened tenders will be awarded the contract.

- 19. **Enquiry during the course of evaluation not allowed**: No enquiry shall be made by the bidder(s) during the course of evaluation of the tender till final decision is conveyed to the successful bidder(s). However, the Purchase Committee or its authorized representative (IIIT Guwahati) can make any enquiry/seek clarification from the bidders. In such a situation, the agency shall extend full co-operation. The bidders may also be asked to arrange demonstration of the offered items, in a short period notice, as such the bidders have to be ready for the same.
- 20. Acceptance of quotations: Tenders will be evaluated for all the items as a whole. All items must be quoted. Bids quoting for only some of the items will be rejected. Conditional discounts shall not be taken into account for price comparison. The acceptance of the quotation will rest solely with the Director, IIITG, who in the interest of the Institute is not bound to accept the lowest quotation and reserves the right to himself to reject or partially accept any or all the quotations received without assigning any reasons.

21. Force Majeure:

If the performance of the obligation of either party is rendered commercially impossible by any of the events hereafter mentioned that party shall be under no obligation to perform the agreement under order after giving notice of 15 days from the date of such an event in writing to the other party, and the events referred to are as follows:

- I) Any law, statute or ordinance, order action or regulations of the Government of India.
- II) Any kind of natural disaster, and
- III) Strikes acts of the Public enemy, war, insurrections, riots, lockouts, sabotage.

22. **Termination for default:** Default is said to have occurred:

- (a) If the equipment or any of its component is found having poor workmanship, faulty designs, poor performance and bad quality of materials used.
- **(b)** If the supplier fails to deliver any or all of the services within the time period(s) specified in the purchase order or any extension thereof granted by IIIT.
- (c) If the supplier fails to perform any other obligation(s) under the contract.
- (d) Under the above circumstances IIIT may terminate the contract / purchase order in whole or in part and forfeit the EMD as applicable. In addition to above, IIIT may at its discretion also take the following actions: IIIT may procure, upon such terms and in such manner, as it deems appropriate, goods similar to the undelivered items/products and the defaulting supplier shall be liable to compensate IIIT for any extra expenditure involved towards goods and services obtained.

23. Applicable Law:

- (a) The contract shall be governed by the laws and procedures established by Govt. of India and subject to exclusive jurisdiction of Competent Court and Forum in Guwahati or India only.
- (b) Any dispute arising out of this purchase shall be referred to the Director IIIT Guwahati, and if either of the parties hereto is dissatisfied with the decision, the dispute shall be referred to the decision of an Arbitrator, who should be acceptable to both the parties, to be appointed by the Director of the Institute. The decision of such Arbitrator shall be final and binding on both the parties.

ANNEXURE -I

<u>List of Items required and Specification details</u>

1 Intel S3520 480GB 2.5" MLC SATA SSD 2 Managed SDN Switch with software based controller Networking Interfaces 48 nos of 10/100/1000 Mbps RJ45 Ethernet Ports 02 nos of SFP+ Ports 02 nos of SFP Ethernet Ports 01 console port	
Networking Interfaces 48 nos of 10/100/1000 Mbps RJ45 Ethernet Ports 02 nos of SFP+ Ports 02 nos of SFP Ethernet Ports	01
Networking Interfaces 48 nos of 10/100/1000 Mbps RJ45 Ethernet Ports 02 nos of SFP+ Ports 02 nos of SFP Ethernet Ports	
48 nos of 10/100/1000 Mbps RJ45 Ethernet Ports 02 nos of SFP+ Ports 02 nos of SFP Ethernet Ports	02
02 nos of SFP+ Ports 02 nos of SFP Ethernet Ports	
02 nos of SFP Ethernet Ports	
01 console port	
Total Non-Blocking Throughput 70 Gbps	
Switching Capacity 140 Gbps	
Forwarding Rate 104.16 Mpps	
MAC Address Table 16384	
Maximum Aggregations 6	
Monitoring Sessions 1	
Maximum VLANs 255	
Power 100-240VAC/50-60 Hz, 750W	
LEDs Per Port RJ45 Data Ports SFP Data Ports PoE, Speed/Link/Activity Speed/Link/Activity	
Operating Temperature -5 to 40° C (23 to 104° F) Operating Humidity 5 to 95% Noncondensing	
Software based controller for managing switch and Access Point	
3 Managed SDN Compatible Access Point with software based controller	10
Networking Interface	
1 no of 10/100/1000 Ethernet Port	
Power Method Passive Power over Ethernet (24V), (Pairs 4, 5+; 7, 8 Return) Power Supply 24V, 0.5 Gigabit PoE Adapter	A
Maximum TX Power (at 2.4 GHz 24 dBm) (at 5 GHz 22 dBm)	
Dual-Band Antenna, Tri-Polarity, 2.4 GHz: 3 dBi, 5 GHz: 3 dBi	
Wi-Fi Standards 802.11 a/b/g/n/ac	
Wireless Security WEP, WPA-PSK, WPA-Enterprise (WPA/WPA2, TKIP/AES)	
BSSID Up to Four per Radio	
Mounting Wall/Ceiling (Kits Included)	
Operating Temperature -10 to 70° C (14 to 158° F)	
Operating Humidity 5 to 95% Noncondensing	
Certifications CE, FCC, IC	
Software based controller for managing switch and Access Point	

Mobile Computing Platform (Android Smart Phone)	Qty.
Display Features Display Size 5.0 inch or equivalent Resolution 2560 X 1440 Pixels Quad HD or equivalent Os & Processor Features Operating System Android Marshmallow 6 Processor Core Octa Core Processor Core Octa Core Processor Clock Speed 2.3 GHz Secondary Clock Speed 1.6 GHz Memory & Storage Features Internal Storage 16/32 GB with expandable memory RAM 4 GB minimum Camera Features Primary Camera 16MP Secondary Camera 8MP Video Recording Resolution 3840 x 2160 or equivalent Frame Rate 30 fps Connectivity Features Network Type Wi-Fi Version 802.11 a/b/g/n/ac NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor 5 Wi-Fi Router-Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WFP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports 24 Number of WAN ports 1 or more Standard EEEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Weight 10 Centimetres Item Weight 10 Centimetres Item Weight 10 Centimetres Item Medit 10 Centimetres Item model number BOXNUCSI3RYK Processor Speed 2.1 GHz	04
Resolution 2560 X 1440 Pixels Quad HD or equivalent Os & Processor Features Operating System Android Marshmallow 6 Processor Cype Snapdragon 800 series/Exynos 8890 / Kirin960/MediaTek Processor Core Octa Core Processor Clock Speed 2.3 GHz Secondary Clock Speed 1.6 GHz Memory & Storage Features Internal Storage 16/32 GB with expandable memory RAM 4 GB minimum Camera Features Primary Camera 16MP Secondary Camera 8MP Video Recording Resolution 3840 x 2160 or equivalent Frame Rate 30 fps Connectivity Features Network Type LTE, WCDMA, GSM / (Preferable VoLTE) Wi-Fi Version 802.11 a/b/g/n/ac NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor Wi-Fi Router-Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption Security 1) WEP 64/128-bit data encryption Proquency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports 24 Number of WAN ports 1 or more Standard Intel Item Height 1.25 Centimetres Item Width 10 Centimetres Item Width 10 Centimetres Item Model number BOXNUCSI3RYK Processor Speed 2.1 GHz	
Resolution 2560 X 1440 Pixels Quad HD or equivalent Os & Processor Features Operating System Android Marshmallow 6 Processor Cype Snapdragon 800 series/Exynos 8890 / Kirin960/MediaTek Processor Core Octa Core Processor Clock Speed 2.3 GHz Secondary Clock Speed 1.6 GHz Memory & Storage Features Internal Storage 16/32 GB with expandable memory RAM 4 GB minimum Camera Features Primary Camera 16MP Secondary Camera 8MP Video Recording Resolution 3840 x 2160 or equivalent Frame Rate 30 fps Connectivity Features Network Type LTE, WCDMA, GSM / (Preferable VoLTE) Wi-Fi Version 802.11 a/b/g/n/ac NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor Wi-Fi Router-Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption Security 1) WEP 64/128-bit data encryption Proquency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports 24 Number of WAN ports 1 or more Standard Intel Item Height 1.25 Centimetres Item Width 10 Centimetres Item Width 10 Centimetres Item Model number BOXNUCSI3RYK Processor Speed 2.1 GHz	
Os & Processor Features Operating System Android Marshmallow 6 Processor Type Snapdragon 800 series/Exynos 8890 / Kirin960 / MediaTek Processor Core Octa Core Processor Clock Speed 2.3 GHz Secondary Clock Speed 1.6 GHz	
Processor Type Snapdragon 800 series/Exynos 8890/ Kirin960/MediaTek Processor Clore Octa Core Processor Clock Speed 2.3 GHz Secondary Clock Speed 1.6 GHz Memory & Storage Features Internal Storage 16/32 GB with expandable memory RAM 4 GB minimum Camera Features Primary Camera 16MP Secondary Camera 8MP Video Recording Resolution 3840 x 2160 or equivalent Frame Rate 30 fps Connectivity Features Network Type LTE, WCDMA, GSM / (Preferable VoLTE) Wi-Fi Version 802.11 a/b/g/n/ac NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor 5 Wi-Fi Router- Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports 24 Number of WAN ports 1 or more Standard IEEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centim	
Processor Type Snapdragon 800 series/Exynos 8890/ Kirin960/MediaTek Processor Clore Octa Core Processor Clock Speed 2.3 GHz Secondary Clock Speed 1.6 GHz Memory & Storage Features Internal Storage 16/32 GB with expandable memory RAM 4 GB minimum Camera Features Primary Camera 16MP Secondary Camera 8MP Video Recording Resolution 3840 x 2160 or equivalent Frame Rate 30 fps Connectivity Features Network Type LTE, WCDMA, GSM / (Preferable VoLTE) Wi-Fi Version 802.11 a/b/g/n/ac NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor 5 Wi-Fi Router- Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports 24 Number of WAN ports 1 or more Standard IEEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centim	
Processor Core Octa Core Processor Clock Speed 2.3 GHz Secondary Clock Speed 1.6 GHz Memory & Storage Features Internal Storage 16/32 GB with expandable memory RAM 4 GB minimum Camera Features Primary Camera 16MP Secondary Camera 8MP Video Recording Resolution 3840 x 2160 or equivalent Frame Rate 30 fps Connectivity Features Network Type LTE, WCDMA, GSM / (Preferable Vol.TE) Wi-Fi Version 802.11 a/b/g/n/ac NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor Wi-Fi Router- Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports 1 or more Standard Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Width 10 Centimeters Item model number BOXNUC513RYK Processor Brand Intel Processor Speed 2.1 GHz Processor Speed 3.1 GHz Processor Speed 3.1 GHz Processor Speed 3.1 GHz	
Processor Clock Speed 1.6 GHz Secondary Clock Speed 1.6 GHz Memory & Storage Features Internal Storage 16/32 GB with expandable memory RAM 4 GB minimum Camera Features Primary Camera 16MP Secondary Camera 8MP Video Recording Resolution 3840 x 2160 or equivalent Frame Rate 30 fps Connectivity Features Network Type LTE, WCDMA, GSM / (Preferable VoLTE) Wi-Fi Version 802.11 a/b/g/n/ac NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor 5 Wi-Fi Router- Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports 24 Number of WAN ports 1 or more Standard Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Width 10 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Brand Intel Processor Speed 2.1 GHz Processor Speed 2.1 GHz Processor Speed 2.1 GHz Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
Secondary Clock Speed 1.6 GHz Memory & Storage Features Internal Storage 16/32 GB with expandable memory RAM 4 GB minimum Camera Features Primary Camera 16MP Secondary Camera 8MP Video Recording Resolution 3840 x 2160 or equivalent Frame Rate 30 fps Connectivity Features Network Type LTE, WCDMA, GSM / (Preferable VoLTE) Wi-Fi Version 802.11 a/b/g/n/ac NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor 5 Wi-Fi Router-Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports 2 4 Number of WAN ports 1 or more Standard Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Width 10 Centimetres Item Wight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUCS13RYK Processor Speed 2.1 GHz Processor Type Core i3 Processor Speed 2.1 GHz Processor Speed 3.1 GHz Processor Speed 4.1 GHz Processor Speed 5.1 GHz Processor Speed 5.1 GHz Processor Speed 6.1 GHz Processor Speed 7.1 GHz Processor Speed 7.1 GHz Processor Speed 8.1 GHZ Processor Speed 9.2 LA GHZ Processor Speed 9.3 GHZ Processor Speed 9.3 GHZ Processor Speed 9.3 GHZ P	
Memory & Storage Features Internal Storage 16/32 GB with expandable memory RAM	
Internal Storage 16/32 GB with expandable memory RAM 4 GB minimum Camera Features Primary Camera 16MP Secondary Camera 8MP Video Recording Resolution 3840 x 2160 or equivalent Frame Rate 30 fps Connectivity Features Network Type Wi-Fi Version 802.11 a/b/g/n/ac NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor 5 Wi-Fi Router- Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports 2 4 Number of WAN ports 1 or more Standard Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Meight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC518PYK Processor Brand Intel Processor Type Core 13 Processor Speed 2.1 GHz Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
RAM 4 GB minimum Camera Features Primary Camera 16MP Secondary Camera 8MP Video Recording Resolution 3840 x 2160 or equivalent Frame Rate 30 fps Connectivity Features Network Type Wi-Fi Version 802.11 a/b/g/n/ac NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor Wi-Fi Router-Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports 24 Number of WAN ports 1 or more Standard IEEE 802.11b/g/n or better 1 Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Speed 2.1 GHz	
Camera Features Primary Camera 16MP Secondary Camera 8MP Video Recording Resolution 3840 x 2160 or equivalent Frame Rate 30 fps Connectivity Features Network Type LTE, WCDMA, GSM / (Preferable VoLTE) Wi-Fi Version 802.11 a/b/g/n/ac NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor Wi-Fi Router- Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAM, WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports ≥ 4 Number of WAN ports 1 or more Standard Intel Item Height 1.2.5 Centimetres Item Width 10 Centimetres Item Width 10 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC518FYK Processor Speed 2.1 GHz	
Primary Camera 16MP Secondary Camera 8MP Video Recording Resolution 3840 x 2160 or equivalent Frame Rate 30 fps Connectivity Features Network Type LTE, WCDMA, GSM / (Preferable VoLTE) Wi-Fi Version 802.11 a/b/g/n/ac NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor Wi-Fi Router- Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WFP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports 24 Number of WAN ports 1 or more Standard IEEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Wight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Type Core i3 Processor Speed 2.1 GHz Processor Count 1 RAM Size 166 GB	
Secondary Camera 8MP Video Recording Resolution 3840 x 2160 or equivalent Frame Rate 30 fps Connectivity Features Network Type LTE, WCDMA, GSM / (Preferable VoLTE) Wi-Fi Version 802.11 a/b/g/n/ac NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor 5 Wi-Fi Router- Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports > 4 Number of LAN ports 1 or more Standard IBEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Type Core i3 Processor Type Core i3 Processor Speed 2.1 GHz	
Video Recording Resolution 3840 x 2160 or equivalent Frame Rate 30 fps Connectivity Features Network Type Wi-Fi Version 802.11 a/b/g/n/ac NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor Wi-Fi Router- Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports 24 Number of WAN ports 1 or more Standard IEEE 802.11b/g/n or better Item Weight 12.5 Centimetres Item Width 10 Centimetres Item Width 10 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Brand Intel Processor Type Core i3 Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
Frame Rate Connectivity Features Network Type LTE, WCDMA, GSM / (Preferable VoLTE) Wi-Fi Version NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor Wi-Fi Router- Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports > 4 Number of WAN ports 1 or more Standard Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item	
Connectivity Features Network Type Wi-Fi Version NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports Standard IEEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Weight 408 g Product Dimensions Item Meight Processor Type Processor Speed 2.1 GHz Processor Speed 2.1 GHz Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
Network Type Wi-Fi Version NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor Wi-Fi Router- Wireless N Specifications: Wireless Speed DSL Modem Speed Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports Standard IEEE 802.11b/g/n or better Intel Next Unit of Computing Kit Brand Itel Item Height 10.5 Centimetres Item Width Item Height 10.5 Centimetres Item Width Item Weight 408 g Product Dimensions Item model number BOXNUC513RYK Processor Brand Intel Processor Type Processor Speed 2.1 GHz Processor Count RAM Size 16 GB	
Wi-Fi Version 802.11 a/b/g/n/ac NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor Wi-Fi Router- Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports ≥ 4 Number of WAN ports 1 or more Standard IEEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Width 10 Centimetres Item Wight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Brand Intel Processor Type Core i3 Processor Speed 2.1 GHz Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
NFC support Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor Wi-Fi Router- Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports 2 4 Number of WAN ports 1 or more Standard IEEE 802.11b/g/n or better Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Type Core i3 Processor Type Core i3 Processor Speed 2.1 GHz Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
Sensors Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor Wir-Fi Router- Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports > 4 Number of WAN ports 1 or more Standard IEEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Wight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Brand Intel Processor Type Core i3 Processor Count 1 RAM Size 16 GB	
Accelerometer, Barometer, Fingerprint Sensor, Gyro Sensor, Geo-magnetic Sensor, Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor Wi-Fi Router-Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports ≥ 4 Number of WAN ports 1 or more Standard IEEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUCSIRYK Processor Brand Intel Processor Type Core i3 Processor Type Core i3 Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
Hall Sensor, HR Sensor, Proximity Sensor, RGB Light Sensor Wi-Fi Router- Wireless N Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports ≥ 4 Number of WAN ports 1 or more Standard IEEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Brand Intel Processor Type Core i3 Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports ≥ 4 Number of WAN ports 1 or more Standard IEEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Brand Intel Processor Type Core i3 Processor Speed 2.1 GHz Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
Specifications: Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports ≥ 4 Number of WAN ports 1 or more Standard IEEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Type Core i3 Processor Type Core i3 Processor Count 1 RAM Size 16 GB	1
Wireless Speed 300 Mbps (minimum) or better DSL Modem Speed 24 Mbps LAN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports ≥ 4 Number of WAN ports 1 or more Standard IEEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Brand Intel Processor Type Core i3 Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	2 Nos.
DSL Modem Speed 24 Mbps LÂN/WAN 10/100 or better Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports ≥ 4 Number of WAN ports 1 or more Standard IEEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Brand Intel Processor Type Core i3 Processor Type Core i3 Processor Speed 2.1 GHz Processor Gount 1 RAM Size 16 GB	
Security 1) WEP 64/128-bit data encryption 2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range External Antenna 1 or more Number of LAN ports ≥ 4 Number of WAN ports Standard IEEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Brand Intel Processor Type Core i3 Processor Speed 2.1 GHz Processor Count 1 RAM Size 1 Or more 2.4 GHz 1 or more Number (WPA/WPA2) 1 or more Number 1 or m	
2) Wi-Fi Protected Access (WPA/WPA2) Frequency Range 2.4 GHz to 2.497 GHz External Antenna 1 or more Number of LAN ports ≥ 4 Number of WAN ports 1 or more Standard IEEE 802.11b/g/n or better Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Brand Intel Processor Type Core i3 Processor Type Core i3 Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
Frequency Range External Antenna 1 or more Number of LAN ports ≥ 4 Number of WAN ports Standard IEEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height Item Width 10 Centimetres Item Wight Hem Weight Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Brand Intel Processor Type Core i3 Processor Speed 2.1 GHz Processor Count I RAM Size 1 or more 2.4 A Unit of Computing IEEE 802.11b/g/n or better 1 or more 1	
External Antenna 1 or more Number of LAN ports ≥ 4 Number of WAN ports 1 or more Standard IEEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Brand Intel Processor Type Core i3 Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
Number of LAN ports ≥ 4 Number of WAN ports 1 or more Standard IEEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Brand Intel Processor Type Core i3 Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
Number of WAN ports Standard IEEE 802.11b/g/n or better 6 Intel Next Unit of Computing Kit Brand Intel Item Height Item Height Item Width Intel Item Weight Item Weight Item Would Dimensions Item model number Item model number Processor Brand Intel Processor Type Core i3 Processor Speed Processor Speed Processor Count IRAM Size I or more IEEE 802.11b/g/n or better I or more Intel Inte	
Standard IEEE 802.11b/g/n or better Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC513RYK Processor Brand Intel Processor Type Core i3 Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC5I3RYK Processor Brand Intel Processor Type Core i3 Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
Intel Next Unit of Computing Kit Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC5I3RYK Processor Brand Intel Processor Type Core i3 Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	+
Brand Intel Item Height 12.5 Centimetres Item Width 10 Centimetres Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC5I3RYK Processor Brand Intel Processor Type Core i3 Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
Item Height12.5 CentimetresItem Width10 CentimetresItem Weight408 gProduct Dimensions13.7 x 10 x 12.5 cmItem model numberBOXNUC5I3RYKProcessor BrandIntelProcessor TypeCore i3Processor Speed2.1 GHzProcessor Count1RAM Size16 GB	
Item Width10 CentimetresItem Weight408 gProduct Dimensions13.7 x 10 x 12.5 cmItem model numberBOXNUC5I3RYKProcessor BrandIntelProcessor TypeCore i3Processor Speed2.1 GHzProcessor Count1RAM Size16 GB	
Item Weight 408 g Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC5I3RYK Processor Brand Intel Processor Type Core i3 Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
Product Dimensions 13.7 x 10 x 12.5 cm Item model number BOXNUC5I3RYK Processor Brand Intel Processor Type Core i3 Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
Item model number BOXNUC5I3RYK Processor Brand Intel Processor Type Core i3 Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
Processor Brand Intel Processor Type Core i3 Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	
Processor Type Core i3 Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	0.3-
Processor Speed 2.1 GHz Processor Count 1 RAM Size 16 GB	2 Nos.
Processor Count 1 RAM Size 16 GB	
RAM Size 16 GB	
1	
Graphics Coprocessor Intel HD Graphics 5500	
Wireless Type 802.11 A/C	
Number of USB 2.0 Ports 2	
Number of USB 3.0 Ports 1	
Wattage 65 Watts	

ANNEXURE-II

<u>List of items quoted</u>

SNo	Equipment/Item	Whether quoted or not quoted (Yes/No)
1	Intel S3520 480GB 2.5" MLC SATA SSD	
2	Managed SDN Switch with software based controller	
3	SDN compatible Access Point	
4	Mobile Computing Platform (Android Smart Phone)	
5	Wi-Fi Router- Wireless N	
6	Intel NUC	

Signature:	
Name & Full Address of Vendor:	M/s
	Official seal of the vendor

ANNEXURE -III

COMPLIANCE CERTIFICATE

(A certificate of compliance to NIQ term to be enclosed in the Technical bid)

Sl. No.	NIQ Terms and Conditions	Yes / No		
01	Rate quoted as per instruction			
02	Validity of quoted rate for 60 days agreed			
03	Payment term agreed			
04	Delivery terms agreed			
05	Warranty period agreed			
06	Dealership / distributorship certificate (in case of dealers/agents) provided			
07	Sales Service :address of after Sales Service nearest available authorized service centre to IIIT Guwahati to be provided			
08	Applicable law terms agreed			

Signature:	
Name & Full Address of Vendor:	M/s
Phone Nos.:	
E-mail.:	

Official seal of the vendor

ANNEXURE -IV

Sl No	Name of Item	Price in ₹	Taxes and	Total Price	Quantity	Total Price
		(Per unit)	other charges (VAT/CST, insurance,	(door delivery) (per Unit)		
			freight, etc) (per Unit)			
		A	В	C=A+B	D	E=C*D

Note:- Prices should be given component/item wise to enable the Institute to decide the final configuration.

Name & Full Address	M/s
of Vendor:	